RHS-E4311

	SPECIFICATION
SIZE	50x50x0.6mm
MATERIAL	NIPPON STAINLESS STEEL
HARDNESS	38~42HRC

CENTERING PLATE 50

RHS-E4308




	SPECIFICATION
SIZE	90x90x0.6mm
MATERIAL	NIPPON STAINLESS STEEL
HARDNESS	40~44HRC

CENTERING PLATE 90

RHS-E4311



	SPECIFICATION
SIZE	90x90x5mm
MATERIAL	NIPPON STAINLESS STEEL
HARDNESS	48~52HRC

G PLATE INOX

RHS-E43141S



U15 STAINLESS STEEL HOLDER

	SPECIFICATION
SIZE	51x51x41mm
MATERIAL	420 STAINLESS STEEL
HARDNESS	30~36HRC

RHS-E43142S



U20 STAINLESS STEEL HOLDER

	SPECIFICATION
SIZE	51x51x41mm
MATERIAL	420 STAINLESS STEEL
HARDNESS	30~36HRC

RHS-E43143S



U25 STAINLESS STEEL HOLDER

	SPECIFICATION
SIZE	51x51x41mm
MATERIAL	420 STAINLESS STEEL
HARDNESS	30~36HRC

RHS-E43144S



U30 STAINLESS STEEL HOLDER

	SPECIFICATION
SIZE	51x60x41mm
MATERIAL	420 STAINLESS STEEL
HARDNESS	30~36HRC

RHS-E4320S1



S15 STAINLESS STEEL HOLDER

	SPECIFICATION
SIZE	51x51x41mm
MATERIAL	420 STAINLESS STEEL
HARDNESS	30~36HRC

RHS-E4320S2



S20 STAINLESS STEEL HOLDER

	SPECIFICATION
SIZE	51x51x41mm
MATERIAL	420 STAINLESS STEEL
HARDNESS	30~36HRC

RHS-E4320S2.5



S25 STAINLESS STEEL HOLDER

	SPECIFICATION
SIZE	51x51x41mm
MATERIAL	420 STAINLESS STEEL
HARDNESS	30~36HRC

RHS-E4320S3



S30 STAINLESS STEEL HOLDER

	SPECIFICATION
SIZE	51x51x41mm
MATERIAL	420 STAINLESS STEEL
HARDNESS	30~36HRC

R.H.S
RAPID HOLDING SYSTEMS
STAINLESS STEEL HOLDER

RHS-E4325S



51x51 FLAT STAINLESS STEEL HOLDER

	SPECIFICATION
SIZE	51x51x41mm
MATERIAL	420 STAINLESS STEEL
HARDNESS	30~36HRC

RHS-E4328S



81x51 FLAT STAINLESS STEEL HOLDER

	SPECIFICATION
SIZE	51x81x41mm
MATERIAL	420 STAINLESS STEEL
HARDNESS	30~36HRC

RHS-E5360





130x51 FLAT STAINLESS STEEL HOLDER

	SPECIFICATION
SIZE	130x51x34.2mm
MATERIAL	420 STAINLESS STEEL
HARDNESS	30~36HRC

RHS-E5363



150x92 FLAT STAINLESS STEEL HOLDER

	SPECIFICATION
SIZE	150x92x29.2mm
MATERIAL	420 STAINLESS STEEL
HARDNESS	30~36HRC

RHS-E43141B



U15 BRASS HOLDER

	SPECIFICATION
SIZE	51x51x41mm
MATERIAL	STANDARD COPPER
HARDNESS	HB100~110

RHS-E43142B



U20 BRASS HOLDER

	SPECIFICATION
SIZE	51x51x41mm
MATERIAL	STANDARD COPPER
HARDNESS	HB100~110

RHS-E43143B



U25 BRASS HOLDER

	SPECIFICATION
SIZE	51x51x41mm
MATERIAL	STANDARD COPPER
HARDNESS	HB100~110

RHS-E4325B



51x51 FLAT BRASS HOLDER

	SPECIFICATION
SIZE	51x51x41mm
MATERIAL	STANDARD COPPER
HARDNESS	HB100~110

R.H.S
BRASS HOLDER

RHS-E4320B1



S15 BRASS HOLDER

	SPECIFICATION
SIZE	51x51x41mm
MATERIAL	STANDARD COPPER
HARDNESS	HB100~110

RHS-E4320B2



S20 BRASS HOLDER

	SPECIFICATION
SIZE	51x51x41mm
MATERIAL	STANDARD COPPER
HARDNESS	HB100~110

RHS-E4320B2.5



S25 BRASS HOLDER

	SPECIFICATION
SIZE	51x51x41mm
MATERIAL	STANDARD COPPER
HARDNESS	HB100~110

RHS-E4328B



51x81 FLAT BRASS HOLDER

	SPECIFICATION
SIZE	51x81x34.2mm
MATERIAL	STANDARD COPPER
HARDNESS	HB100~110

RHS-E43141A



U15 ALUMINUM HOLDER

SPECIFICATION	
SIZE	51x51x41mm
MATERIAL	IMPORT 7 SERIES ALUMINUM ALLOY
HARDNESS	HB140~150

RHS-E43142S



U20 ALUMINUM HOLDER

SPECIFICATION	
SIZE	51x51x41mm
MATERIAL	IMPORT 7 SERIES ALUMINUM ALLOY
HARDNESS	HB140~150

RHS-E43143A



U25 ALUMINUM HOLDER

SPECIFICATION	
SIZE	51x51x41mm
MATERIAL	IMPORT 7 SERIES ALUMINUM ALLOY
HARDNESS	HB140~150

RHS-E4325A



51x81 FLAT ALUMINUM HOLDER

SPECIFICATION	
SIZE	51x51x41mm
MATERIAL	IMPORT 7 SERIES ALUMINUM ALLOY
HARDNESS	HB140~150

R.H.S
ALUMINUM HOLDER

RHS-E4320A1



S15 ALUMINUM HOLDER

SPECIFICATION	
SIZE	51x51x41mm
MATERIAL	IMPORT 7 SERIES ALUMINUM ALLOY
HARDNESS	HB140~150

RHS-E4320S2



S20 ALUMINUM HOLDER

SPECIFICATION	
SIZE	51x51x41mm
MATERIAL	IMPORT 7 SERIES ALUMINUM ALLOY
HARDNESS	HB140~150

RHS-E4320S2.5



S25 ALUMINUM HOLDER

SPECIFICATION	
SIZE	51x51x41mm
MATERIAL	IMPORT 7 SERIES ALUMINUM ALLOY
HARDNESS	HB140~150

RHS-E4428



SPECIFICATION	
SIZE	145x100x72.5mm
MATERIAL	57~60HRC NIPPON STAINLESS STEEL
AIR PRESSURE REQUIRE	6 Bar , with AIR CLEANING FUNCTION
FORCE POWER	10000N

CNC PNEUMATIC CHUCK D100

RHS-E4334



SPECIFICATION	
SIZE	Φ130x81mm
MATERIAL	57~60HRC NIPPON STAINLESS STEEL
AIR PRESSURE REQUIRE	6 Bar , with AIR CLEANING FUNCTION
FORCE POWER	10000N

EDM PNEUMATIC CHUCK D100

RHS-E4340



SPECIFICATION	
SIZE	102x102x72.5mm
MATERIAL	57~60HRC NIPPON STAINLESS STEEL
AIR PRESSURE REQUIRE	6 Bar , with AIR CLEANING FUNCTION
FORCE POWER	10000N

PNEUMATIC CHUCK D100(with functional base)

RHS-E4342



SPECIFICATION	
SIZE	300x102x87mm
MATERIAL	57~60HRC NIPPON STAINLESS STEEL
AIR PRESSURE REQUIRE	6 Bar , with AIR CLEANING FUNCTION
FORCE POWER	10000N
Switch	2 chucks control by 1 switch

2 IN 1 CNC PNEUMATIC CHUCK D100

RHS-E4436





SPECIFICATION	
SIZE	162x99.5x151mm
MATERIAL	57~60HRC NIPPON STAINLESS STEEL
AIR PRESSURE REQUIRE	6 Bar, with AIR CLEANING FUNCTION
FORCE POWER	10000N

D100 Vertical Pneumatic Chuck

RHS-E4438





SPECIFICATION	
SIZE	145x100x118mm
MATERIAL	57~60HRC NIPPON STAINLESS STEEL
AIR PRESSURE REQUIRE	6 Bar, with AIR CLEANING FUNCTION
FORCE POWER	10000N

D100 Horizontal & Vertical Pneumatic Chuck

RHS-E6110



SPECIFICATION	
SIZE	80X80X66mm
MATERIAL	57~60HRC NIPPON STAINLESS STEEL
AIR PRESSURE REQUIRE	6 Bar, with AIR CLEANING FUNCTION
FORCE POWER	6000N

80 mm Square Pneumatic Chuck

RHS-E4370



SPECIFICATION	
SIZE	130x85x94mm
MATERIAL	57~60HRC NIPPON STAINLESS STEEL
AIR PRESSURE REQUIRE	6 Bar, with AIR CLEANING FUNCTION
FORCE POWER	6000N

80 mm Square CNC Pneumatic Chuck

RHS-E0008



SPECIFICATION	
SIZE	Φ130x97.5mm
MATERIAL	57-60HRC NIPPON STAINLESS STEEL
AIR PRESSURE REQUIRE	6 Bar, with AIR CLEANING FUNCTION
FORCE POWER	6000N

80mm EDM Pneumatic Chuck

RHS-E4378



SPECIFICATION	
SIZE	80x80x171mm
MATERIAL	57-60HRC NIPPON STAINLESS STEEL
AIR PRESSURE REQUIRE	6 Bar, with AIR CLEANING FUNCTION
FORCE POWER	6000N

80 mm Square EDM Pneumatic Chuck(With Connecting Rod)

RHS-E6829



SPECIFICATION	
SIZE	198x158x67.5mm
MATERIAL	57-60HRC NIPPON STAINLESS STEEL
AIR PRESSURE REQUIRE	6 Bar, with AIR CLEANING FUNCTION
FORCE POWER	15000N

D150 Pneumatic Chuck With Base

R.H.S
RAPID HOLDING SYSTEMS

PNEUMATIC CHUCK

RHS-E4396



SPECIFICATION	
SIZE	200x170x77.5mm
MATERIAL	57~60HRC NIPPON STAINLESS STEEL
AIR PRESSURE REQUIRE	6 Bar, with AIR CLEANING FUNCTION
FORCE POWER	6000N
Switch	4 chucks control by 1 switch

4 in 1 Tiny Pneumatic Chuck

RHS-E4398



SPECIFICATION	
SIZE	260x200x77.5mm
MATERIAL	57~60HRC NIPPON STAINLESS STEEL
AIR PRESSURE REQUIRE	6 Bar, With AIR CLEANING FUNCTION
FORCE POWER	6000N
Switch	3 Chucks Control by 1 Switch,Total 2 Switch

6 in 1 Tiny Pneumatic Chuck

R.H.S
RAPID HOLDING SYSTEMS

PNEUMATIC CHUCK

RHS-E4390



SPECIFICATION	
SIZE	300x240x77.5mm
MATERIAL	57~60HRC NIPPON STAINLESS STEEL
AIR PRESSURE REQUIRE	6 Bar, with AIR CLEANING FUNCTION
FORCE POWER	6000N
Switch	3 Chucks Control By 1 Switch,Total 3 Switch

9 in 1 Tiny Pneumatic Chuck

RHS-E4404



SPECIFICATION	
SIZE	280x220x64mm
MATERIAL	57~60HRC NIPPON STAINLESS STEEL
AIR PRESSURE REQUIRE	6 Bar, with AIR CLEANING FUNCTION
FORCE POWER	24000N

Heavy Duty CNC Pneumatic Chuck

RHS-E4406



SPECIFICATION	
SIZE	240x240x63.2mm
MATERIAL	48~52HRC Stainless Steel 420
Application	To Hold The Work Piece,Must Use With PO-H0001 Heavy Duty Pnuematic Chuck

Heavy Duty Pallet(Use With PO-H0001)

RHS-E4408



SPECIFICATION	
SIZE	360x150x55mm
MATERIAL	57~60 HRC NIPPON STAINLESS STEEL
MATERIAL	48~52HRC Stainless Steel 420
Application	To Hold The Work Piece,Must Use With PO-J0002

2 Heads Heavy Duty Pneuamatic Pallet (Use With PO-J0002)

RHS-E4410



SPECIFICATION	
SIZE	360x120x88mm
MATERIAL	57~60 HRC NIPPON STAINLESS STEEL
MATERIAL	48~52HRC Stainless Steel 420
AIR PRESSURE REQUIRE	6 Bar
FORCE POWER	20000N
Application	Suitable For CNC

2 Heads Heavy Duty Pneuamtic CNC Chuck

HEAVY DUTY PNEUMATIC CHUCK

RHS-E4416



SPECIFICATION	
SIZE	360x150x55mm
MATERIAL	57~60 HRC NIPPON STAINLESS STEEL
MATERIAL	48~52HRC Stainless Steel 420
Application	To Hold The Work Piece,Must Use With PO-J0004

4 Heads Heavy Duty Pneuamtic Palllet (Use With PO-J0004)

RHS-E4418



SPECIFICATION	
SIZE	360x360x88mm
MATERIAL	57~60 HRC NIPPON STAINLESS STEEL
MATERIAL	48~52HRC Stainless Steel 420
AIR PRESSURE REQUIRE	6 Bar
FORCE POWER	20000N
Application	Suitable For CNC

4 Heads Heavy Duty Pneuamtic CNC Chuck

MANUAL CHUCK

RHS-E4420



SPECIFICATION	
SIZE	Φ100x49.5mm
MATERIAL	57~60 HRC NIPPON STAINLESS STEEL
FORCE POWER	6000N
Included	Stainless Steel Handle x1 pcs

Manual Chuck D100(Quick Chuck 100P)

RHS-E4422



SPECIFICATION	
SIZE	125x125x64.5mm
MATERIAL	57~60HRC NIPPON STAINLESS STEEL
FORCE POWER	6000N
Included	AL Plug x1 pcs; Stainless Steel Handle x1 pcs

Manual Chuck D100 With Standard Base