




# RAPID HOLDING SYSTEMS



## FLEXIBLE CLAMPING VISES

### RHS-FV99

### RHS Flexible Tooling Self Centering Vise




<b>Size</b>	350x150x162mm
<b>Material</b>	High quality steel
<b>Material</b>	48-52HRC
<b>The diameter pins</b>	5mm
<b>Pins quantity</b>	226p
<b>Stroke of cylinder</b>	180mm
<b>Max loading weight</b>	250kg
<b>Pressure</b>	6kg
<b>Net weight</b>	35kg



### RHS-FV37


### RHS Flexible Clamping Vise 95x65x122mm




<b>Size</b>	95x65x122mm
<b>Material</b>	High quality steel
<b>Material</b>	48-52HRC
<b>The diameter pins</b>	5mm
<b>Pins quantity</b>	60p
<b>Stroke</b>	20mm
<b>Max loading weight</b>	120kg
<b>Max locking force</b>	20mm
<b>Net weight</b>	2.3kg

## RHS-FV04

## RHS Flexible Tooling Vise for CNC Machining



Size	450x160X171mm
Material	High quality steel
Material	48-52HRC
The diameter pins	5mm
Pins quantity	226p
Stroke of cylinder	180mm
Max loading weight	250kg
Pressure	6kg
Net weight	42kg




## RHS-FV11

## RHS Flexible Clamping Tool 115X75X122mm




Size	115x75X122mm
Material	High quality steel
Material	48-52HRC
The diameter pins	5mm
Pins quantity	113p
Stroke	20mm
Max loading weight	250kg
Max locking force	30nm
Net weight	3.5kg



## RHS-FV17


## RHS Pneumatic Flexible Fixture 140x65mm



Size	140x65X141mm
Material	High quality steel
Material	48-52HRC
The diameter pins	5mm
Pins quantity	71p
Stroke	20mm
Max loading weight	120kg
Pressure	6kg
Net weight	5kg

## RHS-FV27

## RHS Pneumatic Flexible Fixture 140x75mm



Size	140x75X141mm
Material	High quality steel
Material	48-52HRC
The diameter pins	5mm
Pins quantity	85p
Stroke	20mm
Max loading weight	150kg
Pressure	6kg
Net weight	6kg





## RHS-FV25

## RHS Flexible Positioning Clamping D60 Vise



Size	90x60X122mm
Material	High quality steel
Material	48-52HRC
The diameter pins	5mm
Pins quantity	37p
Stroke	20mm
Max loading weight	75kg
Max locking force	15nm
Net weight	1.25kg




## RHS-FV42

## RHS 150x105 Extendable Flexible pins (manual)



Size	150x105X330mm
Material	High quality steel
Material	48-52HRC
The diameter pins	5mm
Pins quantity	66p
Stroke	20mm
Max loading weight	80kg
Max locking force	20nm
Net weight	7.5kg
Application	Used to detect various irregular parts




**RHS-FV38**

**RHS Robotic automation flexible pins (With cylinder)**




Size	264x76X199mm
Material	High quality steel
Material	48-52HRC
The diameter pins	5mm
Pins quantity	113p
Stroke of cylinder	100mm
Max loading weight	80kg
Pressure	6kg
Net weight	6kg




RHS-FV39

## RHS- Robotic automation flexible pins (With cylinder)




Size	330x82X237mm
Material	High quality steel
Material	48-52HRC
The diameter pins	5mm
Pins quantity	170p
Stroke of cylinder	180mm
Max loading weight	120kg
Pressure	6kg
Net weight	10kg



## RHS-FV41




## RHS- Flexible pins inspection fixture (manual)



Size	450x500X350mm
Material	High quality steel
Material	48-52HRC
The diameter pins	5mm
Pins quantity	148p
Stroke	20mm
Max loading weight	180kg
Max locking force	20nm
Net weight	40kg
Application	Used to detect various irregular parts

## RHS-FV40

## RHS- D80 Flexible pins inspection fixture (manual)



Size	450x350X292mm
Material	High quality steel
Material	48-52HRC
The diameter pins	5mm
Pins quantity	148p
Stroke	20mm
Max loading weight	100kg
Net weight	16kg
Application	Used to detect various irregular parts









